

Injury attendances to Wythenshawe Hospital Emergency Department

January to December 2011

This report summarises recorded injury attendances to Wythenshawe Hospital Emergency Department (ED) between January and December 2011.

Between January and December 2011 there were 15,101 injury attendances to Wythenshawe Hospital ED. Males accounted for over half (53%) of all attendances. The month with the highest attendances was May (n=1,536) with December having the lowest attendances (n=813) (Figure 1). Falls (58%) accounted for the highest proportion of injuries, followed by sports injury (15%), road traffic collision (RTC) (13%), assault (8%), and burns and scalds (4%) (Table 1).

For all injuries the highest proportion of attendances were for persons aged 20 to 34 (23%) and 5 to 19 (24%) years (Figure 2). Almost three in ten (28%) fall attendees were aged 65 or over. Almost four in ten (38%) sports injury attendees were aged 20 to 34 years. Almost four in ten (38%) RTC attendees were aged 20 to 34 years (Figure 3).

Table 2 shows the ethnicity of injury attendees to Wythenshawe Hospital ED. The large majority (87%) were white.

The disposal of a patient can give an indication of the severity of the injuries sustained. Over half (55%) of attendees were discharged, 19% were referred and 16% were admitted to hospital (Table 3). Three-

quarters (75%) of RTC attendees were discharged. A third (33%) of burns and scald attendees were referred for follow-up treatment. Over a third (35%) of deliberate self-harm (DSH) attendees were admitted (Table 4).

Table 5 shows the arrival methods of attendances at Wythenshawe Hospital ED. Over a quarter (26%) arrived by ambulance.

Table 6 shows the incident location of injury attendances. Three in ten (30%) occurred in the home whilst almost one in ten (9%) occurred in a public place.

Table 7 presents data for assault attendances to Wythenshawe Hospital ED. Over two-thirds (68%) were male and over two-fifths (44%) were aged 20 to 34 years. Over three in ten (31%) arrived by ambulance.

Figure 1: Wythenshawe Hospital ED: Total injury attendances by gender and month, January to December 2011





Table 1: Wythenshawe Hospital ED: Total injury attendances by injury group and month, January to December 2011¹

| Injury group | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total | % |
|------------------|------|------|------|------|------|------|------|------|------|------|------|-----|-------|-----|
| Fall | 766 | 674 | 941 | 921 | 967 | 862 | 809 | 810 | 510 | 593 | 630 | 316 | 8799 | 58 |
| Sports injury | 124 | 148 | 176 | 189 | 230 | 197 | 216 | 125 | 275 | 248 | 208 | 158 | 2294 | 15 |
| RTC | 126 | 134 | 152 | 160 | 170 | 171 | 195 | 133 | 149 | 177 | 170 | 215 | 1952 | 13 |
| Assault | 121 | 121 | 96 | 115 | 94 | 90 | 71 | 92 | 80 | 106 | 95 | 59 | 1140 | 8 |
| Burns and scalds | 53 | 44 | 48 | 45 | 43 | 53 | 60 | 57 | 50 | 67 | 47 | 35 | 602 | 4 |
| DSH | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | 289 | 2 |
| Other injury | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | 25 | 0 |
| Total | 1202 | 1130 | 1430 | 1459 | 1536 | 1406 | 1382 | 1261 | 1088 | 1219 | 1175 | 813 | 15101 | 100 |

Figure 2: Wythenshawe Hospital ED: Total injury attendances by age group and month, January to December 2011



¹ Please note that all numbers less than five have been suppressed in line with patient confidentiality and if there is only one number <5 in a category then two numbers will be suppressed at the next level.

Figure 3: Wythenshawe Hospital ED: Total injury attendances by age group and injury group (excluding other injury), January to December 2011




Table 2: Wythenshawe Hospital ED: Total injury attendances by ethnicity and month, January to December 2011²

| able 21 try menorate noopital 25 rotal mjary attendences by commenty and monthly and all of 5 comments | | | | | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|-----|-------|-----|
| Ethnicity | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total | % |
| White | 1036 | 977 | 1227 | 1269 | 1339 | 1223 | 1182 | 1116 | 959 | 1081 | 1037 | 697 | 13143 | 87 |
| Not known | 30 | 16 | 49 | 38 | 32 | 40 | 41 | 38 | 33 | 52 | 29 | 31 | 429 | 3 |
| Pakistani | 14 | 23 | 26 | 41 | 38 | 30 | 33 | 21 | 20 | 15 | 21 | 24 | 306 | 2 |
| Not stated | 44 | 30 | 48 | 30 | 38 | 41 | 32 | 10 | *** | 5 | 6 | *** | 291 | 2 |
| Mixed | 22 | 28 | 19 | 28 | 23 | 19 | 35 | 21 | 16 | 24 | 25 | 11 | 271 | 2 |
| Black | 10 | 10 | 14 | 12 | 17 | 9 | 20 | 7 | 12 | 14 | 17 | 20 | 162 | 1 |
| Any other ethnic group | 11 | 12 | 10 | 15 | *** | 18 | 9 | 17 | 14 | *** | 12 | 8 | 135 | 1 |
| Indian | 15 | 12 | 11 | 7 | 20 | 5 | 10 | 17 | 11 | 6 | 12 | 6 | 132 | 1 |
| Any other Asian background | 9 | 7 | 8 | 9 | *** | 9 | *** | 6 | 7 | 11 | 10 | 10 | 94 | 1 |
| Not specified | 8 | 12 | 12 | 6 | 7 | 6 | 9 | *** | *** | *** | *** | *** | 71 | 0 |
| Chinese | *** | *** | *** | *** | 8 | 5 | 8 | *** | 5 | 5 | 5 | *** | 52 | 0 |
| Bangladeshi | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | 15 | 0 |
| Total | 1202 | 1130 | 1430 | 1459 | 1536 | 1406 | 1382 | 1261 | 1088 | 1219 | 1175 | 813 | 15101 | 100 |

Table 3: Wythenshawe Hospital ED: Total injury attendances by method of disposal and month, January to December 2011³

| Disposal | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total | % |
|--------------------|------|------|------|------|------|------|------|------|------|------|------|-----|-------|-----|
| Discharged | 472 | 455 | 622 | 694 | 689 | 839 | 866 | 812 | 679 | 838 | 757 | 542 | 8265 | 55 |
| Referral/follow-up | 273 | 262 | 335 | 271 | 347 | 234 | 229 | 205 | 209 | 171 | 170 | 110 | 2816 | 19 |
| Admitted | 244 | 191 | 219 | 273 | 229 | 210 | 230 | 211 | 159 | 167 | 205 | 124 | 2462 | 16 |
| Other | 213 | 222 | 254 | 221 | 271 | 123 | 57 | 33 | 41 | 43 | 43 | 37 | 1558 | 10 |
| Total | 1202 | 1130 | 1430 | 1459 | 1536 | 1406 | 1382 | 1261 | 1088 | 1219 | 1175 | 813 | 15101 | 100 |

² White=Irish, British, other white background; Mixed=white and black, white and Asian, mixed any other; Black=African, Caribbean, other black.

³ Admitted=admitted to ED bed/became a lodged patient of the same health care provider; Discharged=discharged - did not require any follow-up treatment; Referral/follow-up=discharged - follow-up treatment to be provided by GP, referred to ED clinic, referred to fracture clinic, referred to other out-patient clinic, transferred to other health care provider, referred to other health care professional; Other=died in department, left department before being treated, left department having refused treatment, other.

Table 4: Wythenshawe Hospital ED: Total injury attendances by method of disposal and injury group, January to December 2011*

| Disposal | Assa | ult | Burns an | d scalds | D: | SH | Othe | er injury | Fa | II | RT | c | Sports | injury | Tota | al |
|--------------------|------|-----|----------|----------|-----|-----|------|-----------|------|-----|------|-----|--------|--------|-------|-----|
| | n | % | n | % | n | % | n | % | n | % | n | % | n | % | n | % |
| Admitted | 164 | 14 | 65 | 11 | 102 | 35 | 5 | 20 | 1875 | 21 | 119 | 6 | 132 | 6 | 2462 | 16 |
| Discharged | 630 | 55 | 261 | 43 | 115 | 40 | 16 | 64 | 4445 | 51 | 1473 | 75 | 1325 | 58 | 8265 | 55 |
| Other | 169 | 15 | 80 | 13 | *** | 12 | *** | 8 | 813 | 9 | 247 | 13 | 212 | 9 | 1558 | 10 |
| Referral/follow-up | 177 | 16 | 196 | 33 | *** | 13 | *** | 8 | 1666 | 19 | 113 | 6 | 625 | 27 | 2816 | 19 |
| Total | 1140 | 100 | 602 | 100 | 289 | 100 | 25 | 100 | 8799 | 100 | 1952 | 100 | 2294 | 100 | 15101 | 100 |

^{*}Percentages may not add up to 100 due to rounding.

Table 5: Wythenshawe Hospital ED: Total injury attendances by mode of arrival and month, January to December 2011

| Arrival mode | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total | % |
|--------------|------|------|------|------|------|------|------|------|------|------|------|-----|-------|-----|
| Not known | 871 | 849 | 1083 | 1045 | 1179 | 1079 | 1041 | 905 | 822 | 914 | 848 | 552 | 11188 | 74 |
| Ambulance | 331 | 281 | 347 | 414 | 357 | 327 | 341 | 356 | 266 | 305 | 327 | 261 | 3913 | 26 |
| Total | 1202 | 1130 | 1430 | 1459 | 1536 | 1406 | 1382 | 1261 | 1088 | 1219 | 1175 | 813 | 15101 | 100 |

Table 6: Wythenshawe Hospital ED: Total injury attendances by location of incident and injury group, January to December 2011*

| Location | Assa | ault | Burns a | nd scalds | D: | SH | Othe | r injury | Fa | II | RT | c | Sports i | injury | Tota | al |
|----------------|------|------|---------|-----------|-----|-----|------|----------|------|-----|------|-----|----------|--------|-------|-----|
| | n | % | n | % | n | % | n | % | n | % | n | % | n | % | n | % |
| Home | 283 | 25 | 300 | 50 | 122 | 42 | 5 | 20 | 3875 | 44 | 0 | 0 | 0 | 0 | 4585 | 30 |
| Not recorded | 310 | 27 | 201 | 33 | 128 | 44 | 12 | 48 | 2313 | 26 | 0 | 0 | 0 | 0 | 2964 | 20 |
| Sport | 39 | 3 | 7 | 1 | *** | 0 | *** | 0 | 415 | 5 | 0 | 0 | 2294 | 100 | 2756 | 18 |
| RTC | *** | 0 | *** | 0 | *** | 1 | *** | 0 | 42 | 0 | 1952 | 100 | 0 | 0 | 1999 | 13 |
| Public place | 279 | 24 | 31 | 5 | 21 | 7 | *** | 4 | 1058 | 12 | 0 | 0 | 0 | 0 | 1390 | 9 |
| School/college | 40 | 4 | *** | 0 | *** | 0 | *** | 0 | 434 | 5 | 0 | 0 | 0 | 0 | 477 | 3 |
| Street | 92 | 8 | *** | 0 | *** | 1 | *** | 0 | 333 | 4 | 0 | 0 | 0 | 0 | 428 | 3 |
| Work | 27 | 2 | 53 | 9 | *** | 0 | *** | 28 | 205 | 2 | 0 | 0 | 0 | 0 | 292 | 2 |
| Another's home | 41 | 4 | 8 | 1 | 10 | 3 | *** | 0 | 111 | 1 | 0 | 0 | 0 | 0 | 170 | 1 |
| Bar/Pub | *** | 2 | *** | 0 | *** | 0 | *** | 0 | *** | 0 | 0 | 0 | 0 | 0 | 33 | 0 |
| Club | *** | 0 | *** | 0 | *** | 0 | *** | 0 | *** | 0 | 0 | 0 | 0 | 0 | 7 | 0 |
| Total | 1140 | 100 | 602 | 100 | 289 | 100 | 25 | 100 | 8799 | 100 | 1952 | 100 | 2294 | 100 | 15101 | 100 |

^{*}Percentages may not add up to 100 due to rounding.

Table 7: Wythenshawe Hospital ED: Assault attendances by gender, arrival mode and age group, January to December 2011

| Injury type | Assault attend | All injuries % (n=15,101) * | |
|-------------|----------------|-----------------------------|----|
| Gender | n | % | % |
| Female | 367 | 32 | 47 |
| Male | 773 | 68 | 53 |
| Mode | | | |
| Ambulance | 355 | 31 | 26 |
| Other | 785 | 69 | 74 |
| Age group** | | | |
| 0 - 4 | 5 | 0 | 10 |
| 5 - 19 | 292 | 26 | 24 |
| 20 - 34 | 501 | 44 | 23 |
| 35 - 49 | 244 | 21 | 15 |
| 50 - 64 | 81 | 7 | 10 |
| 65 plus | 13 | 1 | 18 |

st Percentages may not add up to 100 due to rounding. stAge was not recorded in four cases.

Author: Ian Warren, Published: March 2012

For further information please contact: Centre for Public Health, Research Directorate, Liverpool John Moores University, 2nd Floor, Henry Cotton Building, 15-21 Webster Street ,Liverpool, L3 2ET, Tel: 0151 231 4513 or Email: <u>i.i.warren@ljmu.ac.uk</u>